UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/918,321	07/30/2001	James S. Katz	Rachis/B	4464

24390	7590	07/22/2004

LUCASH, GESMER & UPDEGROVE, LLP
40 BROAD ST
SUITE 300
BOSTON, MA 02109

EXAMINER
ANYA, CHARLES E

ART UNIT	PAPER NUMBER
2126	

DATE MAILED: 07/22/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.		Applicant(s)	
Office Action Summary	09/918,321		KATZ ET AL.	
	Examiner		Art Unit	
	Charles E Anya		2126	

-- *The MAILING DATE of this communication appears on the cover sheet with the correspondence address* --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3/ MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
  earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on *30 July 2001*.

2a)☐ This action is **FINAL.**   2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *1-49* is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) *1-13,15-43,45,46,48 and 49* is/are rejected.

7)☒ Claim(s) *44* is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date *6/27/04*.

4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ .

5) ☐ Notice of Informal Patent Application (PTO-152)

6) ☐ Other: _____.

DETAILED ACTION

1.   Claims 1-49 are pending in this application.

Claim Objections

2.   Claims 17,18,21,22 and 47 are objected to under 37 CFR 1.75(c) as being in

improper form because a multiple dependent claim --may refer in the alternative to only

one set of claims--. See MPEP § 608.01(n).

Claim Rejections - 35 USC § 112

3.   The following is a quotation of the second paragraph of 35 U.S.C. 112:

> The specification shall conclude with one or more claims particularly pointing out and distinctly
> claiming the subject matter which the applicant regards as his invention.

4.   Claim 35 is rejected under 35 U.S.C. 112, second paragraph, as being

indefinite for failing to particularly point out and distinctly claim the subject

matter which applicant regards as the invention.

5.   Claim 35 recites the limitation "the first source" in line 2. There is insufficient

antecedent basis for this limitation in the claim.

For the purpose of this office action the examiner change the phrase " the first source"

to "a first source".

Claim Rejections - 35 USC § 103

6.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

7.   Claims 1,2,4-25,35-41 and 48 are rejected under 35 U.S.C. 103(a) as being

unpatentable over U.S. Pat. No. 6,714,992 B1 to Kanojia et al. in view of U.S. Pat.

No. 6,009,480 to Pleso.

8.   As to claim 1, Kanojia teaches a method of responding to device events

generated by a peripheral device (Col. 2 Ln. 43 – 67, figure 7 Col. 16 Ln. 50 – 67), the

method comprising: detecting a device event generated by the peripheral device when

the peripheral device is in communication with a client system, wherein the event is

generated at any of peripheral device detection time, during device operation, at device

power-up, power-down or disconnect, or at client system power-up (Col. 2 Ln. 43 – 67,

figure 7 Col. 16 Ln. 50 – 67, Col. 14 Ln. 1 – 8), transmitting from the client system to a

first source of software or data, in response to detection of the device event (Col. 2 Ln.

54 – 60, Col. 16 Ln. 50 – 56, Step 1004 Col. 17 Ln. 1 – 4), a request to obtain software

or data from the first source, and receiving the software or data from the first source, the

software or data having been selected to be appropriate for the peripheral device in

response to the event generated by the peripheral device (Step 1004/Step 1006 Col. 17

Ln. 1 – 14), wherein the steps of detecting, transmitting and receiving are performed

automatically when a device event is detected, without intervention by a user of the

peripheral device, and can be executed even when the client system contains no device

driver to support the peripheral device (Col. 2 Ln. 17 – 27, figure 7 Col. 16 Ln. 57 – 67).

9.   Although Kanoji teaches wherein the steps of detecting, transmitting and

receiving are performed automatically when a device event is detected, without

intervention by a user of the peripheral device, Pleso explicitly teaches this limitation

(Col. 2 Ln. 54 – 65).

10.   It would have been obvious to one of ordinary skill in the art at the time the

invention was made to combine the teachings of Pleso and Kanojia because the

teaching of Pleso would improve the system of Kanojia by eliminating user manual

download of drivers/software (Pleso Col. 2 Ln. 31 – 35).

11.   As to claim 2, Kanojia teaches the method of claim 1 wherein the event is

generated upon user interaction with the peripheral device (Col. 14 Ln. 1 – 8).

12.   As to claim 4, Kanojia teaches the method of claim 1 wherein receiving the

software or data from the first source includes receiving from the first source a package

containing any of data, script files or software to enable a response to the detected

device event (Step 1004-1012 Col. 17 Ln. 1 – 24).

13.   As to claim 5, Kanojia teaches the method of claim 4 further including: enabling a

sequence of responses to the detected device event, the sequence of responses being

defined by the data or software in the package (figure 7 Col. 16 Ln. 57 – 67, Col. 17 Ln.

1 – 24).

14.   As to claim 6, Kanojia teaches the method of claim 5 wherein the sequence of

responses includes initiating a software program or otherwise activating specified

software (figure 7 Col. 16 Ln. 57 – 67, Col. 17 Ln. 1 – 24).

15.   As to claim 7, Kanojia teaches a method of responding to events generated by a

peripheral device in communication with a client system, comprising: detecting an event

generated by the peripheral device (Col. 2 Ln. 43 – 53, figure 7 Col. 16 Ln. 50 - 67), and

responding to the event generated by the peripheral device, by executing a

corresponding function, without intervention by the user of the client system (Col. 2 Ln.

22 – 26, 54 – 60, Steps 1002 – 1014 Col. 16 Ln. 65 – 67, Col. 17 Ln. 1 – 28).

16.   Although Kanojia teaches responding to the event generated by the peripheral

device, by executing a corresponding function, without intervention by the user of the

client system, Pleso teaches this limitation (Col. 2 Ln. 54 – 65).

17.   It would have been obvious to one of ordinary skill in the art at the time the

invention was made to combine the teachings of Pleso and Kanojia because the

teaching of Pleso would improve the system of Kanojia by eliminating user manual

download of drivers/software (Pleso Col. 2 Ln. 31 – 35).

18.   As to claim 8, Kanojia teaches the method of claim 7 wherein the function is

defined on the basis of either the event or the peripheral device (figure 7 Col. 16 Ln. 50

– 67).

19.   As to claim 9, Kanojia teaches the method of claim 7 wherein the event is

generated upon connection of the peripheral device to a client process in system (Col.

14 Ln. 1 – 8).

20.   As to claim 10, Kanojia teaches the method of claim 7 wherein the event is

generated upon disconnection of the peripheral device from a client processing system

(Col. 3 Ln. 6 – 17, figure 8 Col. 17 Ln. 29 – 43).

21.   As to claim 11, Kanojia teaches the method of claim 7 wherein the event is

generated during peripheral device operation (Col. 14 Ln. 1 – 8, Col. 3 Ln. 6 – 17, figure

8 Col. 17 Ln. 29 – 43).

22.   As to claim 12, Kanojia teaches the method of claim 7 wherein the event is

generated at peripheral device power-up (Col. 14 Ln. 1 – 8).

23.   As to claim 13, Kanojia teaches the method of claim 7 wherein the function

includes navigation to a web site Col. 2 Ln. 61 – 67, Step 1010 Col. 17 Ln. 15 – 22).

24.   As to claim 14, Kanojia teaches the method of claim 7 wherein the function

includes navigating to a predetermined web page when no other response to a given

event is defined (Col. 6 Ln. 22 – 27).

25.   As to claim 15, Kanojia teaches the method of claim 7 wherein the function

includes initiation of an e-commerce transaction (figure 4A Col. 11 Ln. 50 – 54, Step 3

Col. 12 Ln. 9 – 13).

26.   As to claim 16, Kanojia teaches the method of claim 7 further including: detecting

changes in one or more peripheral devices during operation of the peripheral devices by

detecting events generated by the peripheral devices, and dynamically responding to

the detected changes to manage new devices or events (Col. 2 Ln. 22 – 27, figure 7

Col. 16 Ln. 57 – 67).

27.   As to claim 17, Kanojia teaches the method of claim 7 wherein the client system

supports peripheral devices attached to the client system either before or after

powering-up the client system, even when no supporting device driver currently exists

on the client system at the time the device is attached to the client system (Col. 2 Ln. 43

– 53, Col. 14 Ln. 1 – 8).

28.   As to claim 18, Kanojia teaches the method of claim 7 wherein the detecting

step includes the step of detecting events generated on a bus in communication with

the client system (figure 7 Col. 16 Ln. 56 – 67).

29.   As to claim 19, Kanojia teaches the method of claim 18 wherein the bus operates

in accordance with a predefined bus protocol (figure 7 Col. 16 Ln. 56 – 67).

30.   As to claim 20, Kanojia teaches the method of claim 19 wherein the bus protocol

is USB or IEEE-1394 (figure 7 Col. 16 Ln. 56 – 67). .

31.   As to claim 21, Kanojia teaches the method of claims 7 further including:

detecting events originating on a wireless network in communication with the client

system (figure 1D Col. 5 Ln. 66 – 67, Col. 1 – 7).

32.   As to claim 22, Kanojia teaches the method of claim 7 further including:

responding to events originating on a home network operating in accordance with a

home network standard (figure 1A-1D).

33.   As to claim 23, although Kanojia is silent with reference to the method of claim 22

wherein the home network standard is the American National Standards Institute (ANSI)

home network standard, this limitation is inherent since the download requests are via

C++ method calls which is ANSI compliant.

34.   As to claim 24, Kanojia teaches the method of claim 7 further including: upon

detection of an event associated with a device or device class represented in a list of

event classes, initiating a response to the event, wherein the response is among a list of

possible responses to events specified in the list of event classes, for each of a set of

devices or devices classes (Col. 14 Ln. 1 – 16).

35.   As to claim 25, Kanojia teaches the method of claim 24 further including:

associating, with a given device, a list of possible sequences of responses to events in

each event class, and wherein the step of initiating a response includes the step of

initiating a sequence of responses (Col. 14 Ln. 17 – 25).

36.   As to claim 35, see the rejection of claim 14.

37.   As to claim 36, Kanojia teaches the method of claim 7 further including:

permitting device-driver-originated events to initiate interaction with a user of the

peripheral device via a user interface (Col. 6 Ln. 21 – 35).

38.   As to claim 37, Kanojia teaches the method of claim 36 further including:

permitting the user, following initiation of interaction to control the peripheral device

through the user interface (Col. 6 Ln. 21 – 35).

Application/Control Number: 09/918,321   Page 10
Art Unit: 2126

39.   As to claim 38, Kanojia teaches the method of claim 7 further including: utilizing a standard format to define browser navigation directives (Col. 8 Ln. 23 – 34).

40.   As to claim 39, Kanojia teaches the method of claim 7 further including: utilizing a standard format to define or initiate device events (Col. 8 Ln. 23 – 34).

41.   As to claim 40, Kanojia teaches the method of claim 7 further including: utilizing a standard format to communicate device event-specific data (Col. 8 Ln. 28 – 41).

42.   As to claim 41, Kanojia teaches the method of claim 7 further including: utilizing a standard format to communicate runtime data (Col. 8 Ln. 28 – 41, "...dynamically..." figure 7 Col. 16 Ln. 57 – 67).

43.   As to claim 48, Kanojia teaches the method of claim 1, wherein the client system is in communication with the first source via the World Wide Web or Internet (figures 1A-1D).

44.   Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,714,992 B1 to Kanojia et al. in view of U.S. Pat. No. 6,009,480 to Pleso as applied to claim 2 above, and further in view of U.S. Pat. No. 5,548,759 A to Lipe.

45.   As to claim 3, Kanojia as modified by Pleso is silent with reference to the method

of claim 2 wherein the event can include actuating a peripheral device START button.

46.   Lipe teaches the method of claim 2 wherein the event can include actuating a

peripheral device START button (Col. 21 Ln. 1 – 12).

47.   It would have been obvious to one of ordinary skill in the art the time the

invention was made to combine the teachings of Lipe, Kanojia and Pleso because the

teaching of Lipe would improve the system of Kanojia and Pleso by user software

installer means (Lipe Col. 21 Ln. 1 – 12).

**48.   Claims 26 – 34 are rejected under 35 U.S.C. 103(a) as being unpatentable
over U.S. Pat. No. 6,714,992 B1 to Kanojia et al. in view of U.S. Pat. No. 6,009,480
to Pleso as applied to claim 25 above, and further in view of U.S. Pat. No.
6,496,893 B1 to Arai.**

49.   As to claim 26, Kanojia as modified by Pleso is silent with reference to the

method of claim 25 wherein the list is extensible (Col. 7 Ln. 9 – 46, Col. 14 Ln. 33 - 52).

50.   Arai teaches the method of claim 25 wherein the list is extensible.

51.   It would have been obvious to one of ordinary skill in the art at the time the

invention made combine the teachings of Arai, Kanojia and Pleso because the teaching

of Arai would improve the system of Kanoija and Pleso by providing the functionality of

adding new devices (Arai Col. 14 Ln. 33 – 52).

52.   As to claim 27, Arai teaches the method of claim 25 wherein the associating

includes: storing a list of devices and device events that can be extended without

modification to base client system software (Col. 7 Ln. 8 – 19).

53.   As to claim 28, Arai teaches the method of claim 25 further including: responding

to detection of event type and device not previously encountered or supported by the

system (Col. 14 Ln. 33 – 37).

54.   As to claim 29, Arai teaches the method of claim 28 wherein the storing includes:

storing, in a first source, at least one extensible set of mapping of event types and

corresponding responses, including and extensible list of event types and responses not

previously encountered or supported by the client system (Col. 13 Ln. 27 – 57,Col. 14

Ln. 33 – 37).

55.   As to claim 30, Arai teaches the method of claim 28 further including: detecting a

new event type not previously encountered or supported by the client system and

opening a communications channel with the first source to obtain a package of software

or data specifying a response to the new type (Col. 13 Ln. 27 – 57,Col. 14 Ln. 33 – 37).

56.   As to claim 31, Arai teaches the method of claim 30 wherein the step of

responding to peripheral devices is defined by a package resident on the client, or on

the first source (Col. 13 Ln. 27 – 57,Col. 14 Ln. 33 – 52).

57.   As to claim 32, Arai teaches the method of claim 31 wherein the package can be

resident in client system or obtained form the first source after detection of the device

event (Col. 14 Ln. 8 – 19, Col. 14 Ln. 33 – 52).

58.   As to claim 33, Arai teaches the method of claim 28 wherein the responding

includes: detecting a device type for the device (Col. 13 Ln. 27 – 57, Col. 14 Ln. 33 –

52).

59.   As to claim 34, Arai teaches the method of claim 33 further including: responding

to newly encountered, unsupported devices, responsive to detected device type Col. 13

Ln. 27 – 57, Col. 14 Ln. 33 – 52).

60.   **Claims 42,43,45 and 46 are rejected under 35 U.S.C. 103(a) as being**

unpatentable over U.S. Pat. No. 6,714,992 B1 to Kanojia et al. in view of U.S. Pat.

No. 6,009,480 to Pleso as applied to claim 7 above, and further in view of U.S. Pat.

No. 6,74,807 B1 to Mathur et al.

61.   As to claim 42, Kanojia is silent with reference to the method of claim 7 further

including: permitting third parties to implement, in software, specific responses to device

events, wherein the specific responses to device events can include device events not

previously encountered by the system.

62.   Mathur teaches the method of claim 7 further including: permitting third parties to

implement, in software, specific responses to device events, wherein the specific

responses to device events can include device events not previously encountered by

the system (Col. 9 Ln. 48 – 67).

63.   It would have been obvious to one of ordinary skill in the art at the time the

invention was made to combine the teachings of Mathur, Kanojia and Pleso because

the teaching of Mathur would improve the system of Kanojia by providing appropriate

driver for newly installed device (Mathur Col. 9 Ln. 59 – 65).

64.   As to claim 43, Mathur teaches the method of claim 42 wherein enabling third

parties to implement specific responses to device events includes: establishing a

common interface definition for use by third parties (Device Manager Module 210 Col. 9

Ln. 49 – 67, Col. 10 Ln. 1 – 16).

65.   As to claim 45, Kanojia teaches the method of claim 43 wherein specific

response implementations are defined to the client system using a standard format (Col.

8 Ln. 27 – 34).

66.   As to claim 46, Kanojia teaches the method of claim 45 wherein the standard

format is World Wide Web Consortium (W3C) XML (Col. 8 Ln. 27 – 34).

67.   **Claim 47 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,714,992 B1 to Kanojia et al. in view of U.S. Pat. No. 6,009,480 to Pleso as applied to claim 7 above, and further in view of U.S. Pat. No. 6,658,586 B1 to Levi et al.**

68.   As to claim 47, Kanojia as modified Pleso is silent with reference to the method of claim 7, wherein a device-driver-originated event is printer out-of-ink.

69.   Levi teaches the method of claim 7, wherein a device-driver-originated event is printer out-of-ink (Col. 4 Ln. 1 – 39).

70.   It would have been obvious to one of ordinary skill in the art at the time the invention was made combine the teachings of Levi, Kanojia and Pleso because the teaching of Levi the system of Kanojia by monitoring the status or health of a device (Levi Col. 4 Ln. 13 – 15).

71.   **Claim 49 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,714,992 B1 to Kanojia et al. in view of U.S. Pat. No. 6,009,480 to Pleso as applied to claim 1 above, and further in view of U.S. Pat. No. 5,951,639 to MacInnis**

72.   As to claim 49, Kanojia is silent with reference to the method of claim 1, wherein the first source includes a broadcast carousel.

73.   MacInnis teaches the method of claim 1, wherein the first source includes a

broadcast carousel (Col. 2 Ln. 39 – 42).

74.   It would have been obvious to one of ordinary skill in the art at the time the

invention was made to combine the teachings of MacInnis, Kanojia and Pleso because

the system of MacInnis would improve the system of Kanojia by providing continuous

broadcast of various version of modules in a loop (MacInnis Col. 2 Ln. 39 – 42).

Allowable Subject Matter

75.   Claim 44 is objected to as being dependent upon a rejected base claim, but

would be allowable if rewritten in independent form including all of the limitations of the

base claim and any intervening claims.

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Charles E Anya whose telephone number is (703) 305-

3411. The examiner can normally be reached on M-F (8:30-6:00) First Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, An Meng-Ai can be reached on (703) 305-9678. The fax phone number for

the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Charles E Anya
Examiner
Art Unit 2126

cea.

ST. JOHN COURTENAY III
PRIMARY EXAMINER